Architectural Colour Selector

The Architectural Colour Selector features products suitable for use on interior and exterior applications. It includes warrantable products up to 15 years durability and non warrantable products.



Dulux World of Colour[®]

Powder Coat Series

Australian Collection

Dulux[®]

Product Range

RANGE	COLOUR NAME	FINISH	LOOK	RAPID CURE	COLORBOND®	PRODUCT CODE	R	G	в	LRV#	SPECULAR LIGHT REFLECTANCE#
Alphatec	Blaze Blue	Gloss	Bright			98419941	0	128	183	18	3.7
Alphatec	Dark Violet	Gloss	Bright			98451926	89	88	123	9	3.5
Alphatec	Flame Red	Gloss	Bright			98419959	153	58	58	10	3.6
Alphatec	French Blue	Gloss	Bright			98432725	41	105	170	14	4.2
Alphatec	Lemon Yellow	Gloss	Bright			98432120	248	212	87	68	4.3
Alphatec	Mistletoe	Gloss	Bright			98451040	45	119	70	14	3.6
Alphatec	Orange X15	Gloss	Bright	RC		2654293G	221	110	58	27	4.0
Alphatec	Orange X15	Gloss	Bright			98451439	222	115	60	28	4.2
Alphatec	Pommel Blue	Gloss	Bright	DC		98451034	40	98	141	11	3.4
Alphatec	Safety Yellow Safety Yellow	Gloss Gloss	Bright	RC		2652162G 9842015G	244 245	162 162	50 50	46 46	4.5 4.4
Alphatec Alphatec	Signal Red	Gloss	Bright Bright			98450735	177	69	59	14	3.8
Alphatec	Space Blue	Gloss	Bright			98419990	49	75	128	7	3.6
Alphatec	Yellow Gold	Gloss	Bright			98433617	250	165	34	48	4.2
Duralloy	Anotec [®] Dark Grey	Matt	Solid Colour			27251275	75	81	85	8	1.5
Duralloy	Anotec [®] Mid Bronze	Matt	Solid Colour			27251014	82	72	66	7	1.0
Duralloy	Anotec [®] Silver Grey	Matt	Solid Colour			27251272	183	184	185	48	1.2
Duralloy	Apo Grey	Satin	Solid Colour			27232786	179	180	179	46	2.7
Duralloy	Basalt [®]	Matt	Solid Colour	RC	CB	2607475M	104	105	105	14	1.1
Duralloy	Basalt®	Matt	Solid Colour		CB	2727865M	105	107	108	15	1.6
Duralloy	Basalt	Satin	Solid Colour	RC	CB	2607473S	105	105	106	14	2.1
Duralloy	Basalt®	Satin	Solid Colour		CB	2727865S	106	108	109	15	3.0
Duralloy	Berry Grey	Gloss	Solid Colour			2727262G	92	96	100	12	3.5
Duralloy	Berry Grey Black	Satin Gloss	Solid Colour Solid Colour	RC		27288362 2609132G	92 60	96 61	100 61	12 5	2.8 3.6
Duralloy Duralloy	Black	Gloss	Solid Colour	RU		2729090G	58	57	57	4	3.1
Duralloy	Black (Night Sky®)	Matt	Solid Colour	RC	СВ	2609129M	59	60	60	4 5	1.3
Duralloy	Black (Night Sky®)	Matt	Solid Colour	No	CB	27219319	59	59	60	5	1.8
Duralloy	Black (Night Sky®)	Satin	Solid Colour	RC	CB	26091285	59	59	60	4	2.6
Duralloy	Black (Night Sky®)	Satin	Solid Colour	1.0	CB	27219268	58	58	59	4	2.5
Duralloy	Blue Ridge®	Satin	Solid Colour		CB	27288480	88	107	117	14	2.6
Duralloy	Bluegum®	Matt	Solid Colour		CB	2727910M	146	151	157	31	1.6
Duralloy	Bright White	Gloss	Solid Colour			27284636	226	235	243	83	4.2
Duralloy	Charcoal	Matt	Solid Colour			2729229M	69	73	76	7	1.7
Duralloy	Charcoal	Satin	Solid Colour	RC		26088351	71	74	77	7	3.1
Duralloy	Charcoal	Satin	Solid Colour			27288351	71	74	77	7	3.1
Duralloy	Charcoal	Gloss	Solid Colour		0.5	2729086G	71	74	76	7	3.7
Duralloy	Classic Cream™	Matt	Solid Colour	DO	CB	2722265M	232	212	182	68	2.5
Duralloy	Classic Cream™	Satin	Solid Colour	RC	CB CB	2602095S 2722095S	232 232	212 212	182 182	68 68	2.6 2.4
Duralloy Duralloy	Classic Cream™ Classic Pearl White	Satin Gloss	Solid Colour Solid Colour	RC	CB	2601228G	232 245	212	244	68 93	4.7
Duralloy	Classic Pearl White	Gloss	Solid Colour	NO		27281880	245	247	244	93	4.3
Duralloy	Cottage Green®	Satin	Solid Colour		СВ	27284219	76	95	83	10	2.6
Duralloy	Cove®	Satin	Solid Colour		CB	2726250S	156	146	125	29	3.1
Duralloy	Deep Brunswick Green	Gloss	Solid Colour			2726134G	64	76	69	7	3.8
Duralloy	Deep Ocean®	Matt	Solid Colour		CB	2725422M	77	91	100	10	1.7
Duralloy	Deep Ocean®	Satin	Solid Colour		CB	2725125S	74	88	98	9	2.9
Duralloy	Dover White™	Matt	Solid Colour		CB	2721384M	229	232	231	81	2.0
Duralloy	Dune®	Matt	Solid Colour		CB	2727558M	179	171	163	42	2.4
Duralloy	Dune"	Satin	Solid Colour		CB	2723087S	179	170	160	41	2.9
Duralloy	Evening Haze®	Satin	Solid Colour		CB	2723055S	198	190	173	52	2.9
Duralloy	Grey Nurse Gully®	Gloss	Solid Colour Solid Colour		СВ	2727863G 2728233S	201 130	199	189 113	57 20	3.9 2.9
Duralloy Duralloy	Hammersley Brown	Satin Satin	Solid Colour		CD	27284657	88	123 76	73	8	2.5
Duralloy	Ironstone®	Matt	Solid Colour	RC	СВ	2607556M	86	90	73 95	10	1.3
Duralloy	Ironstone®	Matt	Solid Colour	NO	CB	2727864M	88	92	99	11	1.9
Duralloy	Ironstone®	Satin	Solid Colour	RC	CB	2607257S	87	92	98	11	2.9
Duralloy	Ironstone®	Satin	Solid Colour		CB	2727257S	87	92	98	11	2.8
Duralloy	Jasper [®]	Matt	Solid Colour	RC	СВ	2608252M	116	105	96	15	1.3
Duralloy	Jasper®	Matt	Solid Colour		CB	2728413M	115	105	95	15	1.9
Duralloy	Jasper®	Satin	Solid Colour		CB	2728122S	117	107	97	15	2.4
Duralloy	Lexicon® Quarter	Matt	Solid Colour			2721378M	244	243	239	90	2.2
Duralloy	Mangrove®	Satin	Solid Colour		CB	2726473S	116	117	102	18	2.8
Duralloy	Manor Red®	Satin	Solid Colour	50	CB	2724134S	118	70	65	9	2.2
Duralloy	Monument®	Matt	Solid Colour	RC	CB	2609066M	79	80	80	8	1.2
Duralloy	Monument [®]	Matt	Solid Colour	RC	CB CB	2729066M	82 79	82 80	82 79	9	1.8 2.4
Duralloy Duralloy	Monument® Monument®	Satin Satin	Solid Colour Solid Colour	RU	CB	2609067S 2729067S	79 80	80 80	80	8 8	2.4
Duralloy	Natural White™	Matt	Solid Colour Solid Colour		00	2721380M	240	235	228	8 84	2.5
Duralloy	Navy Blue	Gloss	Solid Colour			2725425G	58	77	96	7	3.8
Duralloy	Notre Dame	Gloss	Solid Colour			27236672	107	111	112	16	3.9
Duralloy	Olde Pewter	Satin	Solid Colour			27250243	122	124	126	20	3.0
Duralloy	Oyster	Matt	Solid Colour	RC		26036858	196	197	193	56	1.3
Duralloy	Oyster	Matt	Solid Colour			27236858	197	197	193	56	1.4
Duralloy	Pale Eucalypt®	Matt	Solid Colour		CB	2726474M	132	137	118	24	1.8
Duralloy	Pale Eucalypt®	Satin	Solid Colour	RC	CB	2606127S	133	138	119	25	2.5
Duralloy	Pale Eucalypt®	Satin	Solid Colour		CB	2726474S	132	137	118	24	3.1
Duralloy	Paperbark®	Matt	Solid Colour	50	CB	2723174M	204	186	164	51	2.4
Duralloy	Paperbark [®]	Satin	Solid Colour	RC	CB	2603135S	204	186	164	51	3.3
Duralloy	Paperbark®	Satin	Solid Colour	DO	CB	2723088S	204	186	164	51	3.3
Duralloy	Pearl White	Gloss	Solid Colour	RC		2601229G	240	244	243	90	4.6
Duralloy Duralloy	Pearl White Pink Sand	Gloss Matt	Solid Colour Solid Colour			2721114G 2724410M	239 211	245 186	244 174	90 52	4.7 2.2
Duralloy	Primrose	Gloss	Solid Colour Solid Colour	RC		26084365	239	219	188	52 73	3.9
Duralloy	Primrose	Gloss	Solid Colour	NO		27284365	239	219	187	73	3.8
Duralloy	Rivergum Beige	Gloss	Solid Colour			27236991	237	219	196	66	3.4
Duralloy	Riversand®	Matt	Solid Colour		CB	2723193M	167	151	136	32	1.7
Duralloy	Shale Grey™	Matt	Solid Colour	RC	CB	2607557M	185	186	180	49	1.5
,	-										

RANGE	COLOUR NAME	FINISH	LOOK	RAPID CURE	COLORBOND®	PRODUCT CODE	R	G	в	LRV#	SPECULAR LIGHT REFLECTANCE#
Duralloy	Shale Grey™	Matt	Solid Colour		СВ	2727557M	185	186	180	49	1.5
Duralloy	Shale Grey™	Satin	Solid Colour	RC	CB	26083246	186	187	183	50	2.8
Duralloy	Shale Grey™	Satin	Solid Colour	NO	CB	27283246	186	187	183	50	2.8
Duralloy	Shoji White	Satin	Solid Colour		05	27284682	228	225	218	76	3.0
Duralloy	Southerly®	Matt	Solid Colour		СВ	2727909M	198	198	198	57	1.6
Duralloy	Stone Beige	Matt	Solid Colour			27232538	199	177	154	46	2.0
Duralloy	Stone Grey	Satin	Solid Colour			27278126	155	152	148	32	2.8
Duralloy	Surfmist	Matt	Solid Colour	RC	СВ	2603167M	220	218	210	70	1.9
Duralloy	Surfmist®	Matt	Solid Colour		СВ	2722266M	221	219	211	69	2.3
Duralloy	Surfmist [®]	Satin	Solid Colour	RC	CB	2601137S	218	216	208	69	2.7
Duralloy	Surfmist®	Satin	Solid Colour		СВ	2721137S	218	216	208	69	2.7
Duralloy	Terrain®	Satin	Solid Colour		CB	2728232S	113	77	64	9	2.4
Duralloy	Territory Red	Matt	Solid Colour			2724411M	143	82	67	12	1.6
Duralloy	Transformer Grey	Gloss	Solid Colour			27232186	138	148	142	29	4.0
Duralloy	Wallaby®	Matt	Solid Colour		СВ	2727866M	121	120	117	19	1.9
Duralloy	Wallaby®	Satin	Solid Colour	RC	CB	2607474S	121	118	113	18	2.3
Duralloy	Wallaby*	Satin	Solid Colour		CB	2727866S	122	120	118	19	3.3
Duralloy	Wedgewood	Satin	Solid Colour			27250279	101	136	157	23	2.3
Duralloy	Whisper White	Matt	Solid Colour			2721376M	236	234	226	83	2.4
Duralloy	White	Matt	Solid Colour			2721139M	244	244	239	91	2.3
Duralloy	White	Satin	Solid Colour	RC		2601139S	245	246	242	92	3.0
Duralloy	White	Satin	Solid Colour			2721139S	245	246	242	92	3.0
Duralloy	White Birch	Gloss	Solid Colour			27237131	248	238	220	87	4.3
Duralloy	Wilderness®	Satin	Solid Colour		CB	27284224	111	122	109	19	2.6
Duralloy	Windspray®	Matt	Solid Colour		CB	2727559M	137	143	141	27	1.0
Duralloy	Windspray®	Satin	Solid Colour		CB	2727256S	138	143	141	27	2.7
Duralloy	Wollemi®	Matt	Solid Colour		CB	2726500M	68	75	72	7	1.4
Duralloy	Woodland Grey®	Matt	Solid Colour	RC	CB	2606256M	93	93	89	11	1.2
Duralloy	Woodland Grey®	Matt	Solid Colour		CB	2727197M	94	93	89	11	1.6
Duralloy	Woodland Grey®	Satin	Solid Colour	RC	CB	2606255S	94	93	88	11	2.7
Duralloy	Woodland Grey®	Satin	Solid Colour		CB	2727255S	97	96	92	12	3.1
Precious	Anodic Bronze Pearl	Satin	Pearlescent			9718416Q	100	89	77	11	2.7
Precious	Bright Gold Pearl	Matt	Pearlescent			9718420Q	176	144	95	30	2.8
Precious	Bronze Copper Pearl	Matt	Pearlescent			9718418Q	140	107	77	17	3.3
Precious	Charcoal Metallic Pearl	Gloss	Pearlescent			97118796	72	72	72	7	3.2
Precious	Citi Pearl	Matt	Pearlescent			97188471	172	177	180	44	2.6
Precious	Copper Pearl	Satin	Pearlescent			9714137Q	158	114	90	20	3.6
Precious	Metro Bronze Pearl	Satin	Pearlescent			97159003	89	86	85	10	3.2
Precious	Metro Silver Glow Pearl	Gloss	Pearlescent			97184623	174	179	181	45	5.0
Precious	Metro Storm Pearl	Satin	Pearlescent			97184684	107	104	107	15	3.5
Precious	Mother Of Pearl	Gloss	Pearlescent			97184678	227	223	215	74	4.5
Precious	Natural Pearl	Matt	Pearlescent			97189119	171	172	169	41	3.3
Precious	Onyx Pearl	Gloss	Pearlescent			97152052	79	82	83	8	4.5
Precious	Pewter Pearl	Satin	Pearlescent			97188202	135	138	139	25	3.2
Precious	Prosecco Pearl	Matt	Pearlescent			9718417Q	147	134	120	25	2.5
Precious	Silver Kinetic® Pearl	Satin	Pearlescent			9717043K	162	164	163	37	4.2
Precious	Steel Pearl	Gloss	Pearlescent			97157127	87	90	92	10	4.1
Protexture	Basalt [®]	Flat	Textured		CB	20T7723F	105	107	107	15	0.9
Protexture	Black	Flat	Textured			20T9215F	61	61	62	5	0.2
Protexture	Dark Bronze	Flat	Textured			21T8184F	70	66	64	6	1.0
Protexture	Monument®	Flat	Textured		CB	20T9067F	81	81	81	8	0.9
Protexture	Natural White™	Flat	Textured			20T1119F	237	235	230	84	0.7
Protexture	Shale Grey™	Flat	Textured		CB	20T7834F	186	186	182	49	0.6
Protexture	Surfmist	Flat	Textured		CB	20T1137F	218	217	211	69	0.7
Protexture	White	Flat	Textured			20T1373F	243	245	243	91	0.8

[#] Light Reflectance Value (LRV): The total amount of visible light reflected from the coating, expressed as a percentage of total incoming light. Surfaces with higher light reflectance values appear lighter while surfaces with low light reflectance values appear darker.
Specular Light Reflectance: The portion of incoming light that is reflected such that the reflected ray is at the same angle to the surface normal as the incoming ray. Specular light reflection is expressed as a percentage of total incoming light. Surfaces with a lower specular reflection produce less glare as they scatter or absorb a greater portion of the incoming light.

For further information on light reflectivity visit duluxpowders.com.au/spec-solutions

Architectural Colour Selector



Popular solid colours including COLORBOND® steel colours delivered with warranty grade* advanced durable polyester thermosetting powder. Recommended usage includes exterior residential buildings less than 4 levels. See product suitability tables for more information.

LEXICON® QUARTER PEARL WHITE СВ BRIGHT WHITE DOVER WHITE™ Gloss 2601229G RC Matt 2721378M Gloss 2721114G Matt 2721384M Gloss 27284636 CB CLASSIC PEARL WHITE WHISPER WHITE PALE EUCALYPT® СВ SOUTHERLY® Gloss 2601228G RC Gloss 27281880 Matt 2721376M Satin 26061275 RC Satin 2726474S Matt 2727909M Matt 2726474M OYSTER SURFMIST® СВ TRANSFORMER GREY **BLUEGUM**° СВ Matt 27236858 Matt 26036858 RC Matt 2722266M Matt 2603167M Matt 2727910M Gloss 27232186 Satin 2721137S Satin 2601137S RC APO GREY СВ WINDSPRAY® SHALE GREY™ СВ WILDERNESS Matt 2607557M RC Satin 26083246 RC Matt 2727557M Satin 27232786 Satin 27284224 Satin 2727256S Matt 2727559M Satin 27283246 ANOTEC° SILVER GREY OLDE PEWTER MANGROVE[®] СВ WEDGEWOOD Satin 2726473S Satin 27250279 Matt 27251272 Satin 27250243 СВ COTTAGE GREEN® STONE GREY NOTRE DAME BLUE RIDGE[®] Satin 27278126 Gloss 27236672 Satin 27284219 Satin 27288480 NAVY BLUE DEEP BRUNSWICK GREEN **BASALT[®]** СВ BERRY GREY Matt 2607475M RC Matt 2727865M Satin 2607473S RC Satin 2727865S Satin 27288362 Gloss 2727262G Gloss 2726134G Gloss 2725425G Satin 2727865S СВ ANOTEC° DARK GREY **IRONSTONE**[®] СВ **WOLLEMI**[®] DEEP OCEAN® СВ Satin 2607257S RC Matt 2607556M RC Matt 27251275 Satin 2727257S Matt 2726500M Satin 2725125S Matt 2725422M Matt 2727864M

* All Dulux Duralloy[®], Precious[®] and Protexture[™] products are supported by Dulux Alumi Shield and Dulux Steel Shield warranties when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions and maintained within the Dulux recommended Care and Maintenance guidelines. For more information visit **duluxpowders.com.au/warranties**

WHITE BIRCH WHITE NATURAL WHITE[™] SHOJI WHITE Gloss 27237131 Matt 2721139M Satin 2601139S RC Matt 2721380M Satin 27284682 Satin 2721139S PRIMROSE GREY NURSE RIVERGUM BEIGE СВ **DUNE[®]** Gloss 26084365 RC Gloss 27284365 Satin 2723087S Gloss 2727863G Gloss 27236991 Matt 2727558M CLASSIC CREAM[™] СВ EVENING HAZE® СВ PAPERBARK® СВ RIVERSAND® СВ Satin 2722095S Satin 26020955 RC Satin 2723088S Satin 26031355 RC Satin 2723055S Matt 2723193M Matt 2722265M Matt 2723174M СВ СВ **GULLY**[®] STONE BEIGE PINK SAND COVE° Satin 2726250S Satin 2728233S Matt 27232538 Matt 2724410M **JASPER**[®] СВ WALLABY[®] СВ HAMMERSLEY BROWN TERRITORY RED Satin 2728122S Matt 2608252M RC Satin 2607474S RC Satin 2727866S Satin 27284657 Matt 2724411M Matt 2728413M Matt 2727866M СВ СВ СВ ANOTEC° MID BRONZE MANOR RED® WOODLAND GREY **MONUMENT**[®] Satin 2606255S Matt 2609066M RC Matt 2729066M Satin 2727255S Matt 27251014 Satin 2724134S Matt 2606256M RC Satin 2609067S RC Matt 2727197M Satin 2729067S СВ TERRAIN® СВ BLACK CHARCOAL BLACK (NIGHT SKY®) Gloss 2729090G Gloss 2609132G RC Matt 2729229M Satin 27288351 Matt 2609129M Matt 27219319 Satin 2728232S RC Satin 2609128S RC Satin 27219268 Satin 26088351 RC

RC RapidCure Technology enables a possible reduction in energy consumption through lower cure temperatures and/or faster line speeds.

Gloss 2729086G

CB COLORBOND® steel and ® colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited.







AS 3715 AAMA 2603

Beautiful, decorative pearlescent and metallic finishes delivered with warranty grade* advanced durable polyester thermosetting powder. Recommended usage includes exterior residential buildings less than 4 levels. See product suitability tables for more information.

MOTHER OF PEARL NATURAL PEARL CITI PEARL METRO SILVER GLOW PEARL Matt 97188471 Gloss 97184678 Matt 97189119 Gloss 97184623 COPPER PEARL BRIGHT GOLD PEARL SILVER KINETIC[®] PEARL PEWTER PEARL Satin 9714137Q Matt 9718420Q Satin 9717043K Satin 97188202 BRONZE COPPER PEARL PROSECCO PEARL METRO STORM PEARL STEEL PEARL Matt 9718418Q Matt 9718417Q Gloss 97157127 Satin 97184684

METRO BRONZE PEARL Satin 97159003



Satin 9718416Q



Gloss 97118796

ONYX PFARI Gloss 97152052

* Project type definitions:

- Non habitable projects are those that are not dwelling types. Examples can be furniture, bus shelters, signage etc.
- Residential properties < 4 levels are typically easy to maintain, given their height and access.
- Light commercial projects < 4 levels are sheltered from neighbouring buildings, but require greater durability due to higher usage and wear.
- High rise residential and commercial projects are less sheltered from neighbouring buildings, raising their exposure and reducing their ease of maintenance.
 Prestigious commercial projects attract attention and require high quality finishes to uphold the longevity and design requirements.
- · Monumental projects attract the most attention and have the highest standards required to uphold the reputation and protection expected from landmark sites.



Highly mar and scuff resistant textured finishes built to protect, delivered with warranty grade* advanced highly durable polyester thermosetting powder. Recommended usage includes exterior residential and light commercial buildings less than 4 levels. See product suitability tables for more information.





Fun, bright solid colours that produce a big impact, delivered with tough polyester thermosetting powder. Recommended usage includes exterior non-habitable projects. Alphatec is not supported by a Dulux warranty and where colour retention is paramount, we recommend the Duratec[®] Intensity[®] powder coat range. See product suitability tables for more information.



Worth doing, worth Dulux.

Meeting Industry Standards

Dulux Duralloy, Precious and Protexture powder coat products are designed to meet both the global AAMA and Australian AS3715 standards for architectural aluminium finishes.

	Duralloy	Precious	Protexture		
AAMA Standards	Meets 2603	Meets 2603	Exceeds 2603		
Coating type	Durable Polyester	Durable Polyester	Highly Durable Polyester		

Project suitability

Ensure you specify the right Dulux powder coat product for your requirements by using the following table to help define your project by type and exposure conditions. Refer to our Premium Architectural Colour Selector card for our Premium range of products suitable for other project types and conditions.

Product Suitability by Project

Project, Environment and Cor	Top Coat Choice ²					
Project Type ^t	Environment	Conditions ¹	Duralloy ³	Precious ³	Protexture ⁴	Alphatec
Light Commercial (< 4 levels)	Exterior	Mild (C2-C3), Severe (C4-C5)			•	
Residential (< 4 levels)	Exterior	Severe (C4-C5)			•	
Residential (< 4 levels)	Exterior	Mild (C2-C3)	•	•	•	
Non-Habitable	Exterior	Severe (C4-C5)			•	
Non-Habitable	Exterior	Mild (C2-C3)	•	•	•	0
All Projects	Interior	Moderate Interior (C3-4)			•	
All Projects	Interior	General Interior (C1-C2)	•	•	•	0
 Steel Shield and Alumi Shield Wa Non Warrantable. For more information about proje refer to duluxpowers.com.au/war Primers may be required for perf applications depending on proje 	environments >100 or caustic environ 4. Protexture is only s	Om from the high tide ments so the pH must suitable for coastal, ri and is NOT suitable in	for coastal, river and lal and are NOT suitable in be between 5 and 9 ver and lake salt water n strongly acidic or cau	n strongly acidic environments >10		

Primers may be required for perforated and expanded aluminium and steel applications depending on project conditions. For full system requirements refer to duluxpowders.com.au/warranties

For more information on specifying the right product for your project, call 13 24 99 or visit duluxpowders.com.au

Warranted Performance

All Dulux Duralloy, Precious and Protexture powder coat products are backed by product

• Architectural aluminium, including perforated aluminium and expanded aluminium

Mild steel, bright/semi bright steel, black steel and blue steel

	Warranty	Duralloy	Precious	Protexture	
Alumi Shield [™]	Aluminium Durability	10 Years	10 Years	15 Years	
Warranty	Aluminium Colour	10 Years	10 Years	15 Years	
Steel Shield™ Warranty	Steel Corrosion	Up to 10 Years	Up to 10 Years	Up to 10 Years	
	Steel Colour	10 Years	10 Years	15 Years	

Warranties are made up of a colour warranty (for fade and chalking), durability warranty (film integrity for aluminium only), and corrosion warranty (for steel only). They are only valid when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions.

For more information visit duluxpowders.com.au/warranties

Dulux Accredited Powder Coaters

Only Dulux Accredited Powder Coaters are able to issue our Dulux Alumi Shield[™] and Steel Shield™ warranties after demonstrating their capability to meet stringent quality conditions and international standards.



For more information visit duluxpowders.com.au/accredited

CustomColour[™]

range of stocked, readily available products and colours. If you cannot find the colour you require in a particular Call 13 24 99 or visit duluxpowders.com.au

Advice Line

Our dedicated consultants can help simplify the specification process, saving you time and money by providing the right coating advice for your project. Call 13 24 99 or visit duluxpowders.com.au

Offices

Australia

Dulux Powder Coatings 1-15 Pound Road West, Dandenong South VIC 3175

New Zealand

Dulux Powder Coatings 31B Hillside Road, Glenfield, Auckland 0627 T (64) 4 896 0911

Singapore

DGL International Powder Coatings 1 Commonwealth Lane #09-19, One Commonwealth, Singapore 149544 T (65) 6 8381 010

China

DGL International Powder Coatings Room 406, No.8, Lane 1977, JinShaJiang Road, Shanghai, China, PC 200333 T (86) 21 6173 8800

Alumi Shield, Steel Shield, E Prime, Natural White and Dulux Accredited Powder Coater are trade marks of DuluxGroup (Australia) Pty Ltd. The colours shown here have been reproduced to represent actual product colours as accurately as possible. However, we recommend always confirming your colour choice against an actual powder coated swatch sample for final colour approval as varying light conditions and limitations of the printing process may affect colour tones. ZINCALUME®, COLORBOND®, BlueScope and ® colour names are registered trade marks of BlueScope Steel Limited. "colour names are trade marks of BlueScope Steel Limited. "colour names are trade marks of BlueScope Steel Limited."